

WHAT IS CLAIMED IS:

Sub
A1

1. A foldable portable telephone having first and second casings coupled with each other via a hinge portion, comprising:

first and second electronic circuit portions provided within said first and second casings, respectively; and

5 first and second shield members for shielding said first and second electronic circuit portions, respectively,

at least one of said first and second shield members additionally serving as an antenna for said portable telephone.

2. The portable telephone according to claim 1, wherein said first electronic circuit portion includes a communication circuit for communicating with a base station using said second shield member as the antenna.

3. The portable telephone according to claim 2, wherein said second shield member includes a slit for adjusting its characteristics as the antenna.

4. The portable telephone according to claim 2, wherein said second shield member includes an extended portion for adjusting its characteristics as the antenna.

5. The portable telephone according to claim 2, further comprising an antenna matching circuit connected between said communication circuit and said second shield member.

6. The portable telephone according to claim 2, further comprising:
a first antenna matching circuit for matching when said portable telephone is unfolded;

5 a second antenna matching circuit for matching when said portable telephone is folded;

a detector for detecting whether said portable telephone is folded;
and

a switching circuit operating based on a detected result of said
detector, for connecting said first antenna matching circuit between said
communication circuit and said second shield member when said portable
telephone is unfolded, and for connecting said second antenna matching
circuit between said communication circuit and said second shield member
when said portable telephone is folded.

7. The portable telephone according to claim 2, further comprising
an antenna mounted to said first casing and having its feeding portion
connected to said communication circuit,

said communication circuit communicating with said base station
via said second shield member and said antenna.

8. The portable telephone according to claim 2, further comprising
an antenna mounted to said second casing and having its feeding portion
connected to said second shield member,

said communication circuit communicating with said base station
via said second shield member and said antenna.

9. The portable telephone according to claim 8, further comprising
a matching circuit for said antenna that is connected between said second
shield member and the feeding portion of said antenna.

10. The portable telephone according to claim 2, further
comprising:

an antenna mounted to said first casing;

a detector for detecting whether a hand of a user of said portable
telephone is touching said antenna; and

a switching circuit operating based on a detected result of said
detector, for connecting said communication circuit to said antenna when
said user's hand is not touching said antenna, and for connecting said

